Commercial Product Name: FIS P PLUS 300 T

commercial Froduct Name. Fish Fee

Revision Date: 31.07.2020 Version: 2/en



Print date: 31.07.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name FIS P PLUS 300 T

Unique Formula Identifier (UFI) V410-R0R8-2001-ET06

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd

Hithercroft Road

Wallingford, Oxfordshire, OX10 9AT Telephone: +44 01491 827 920

FAX: +44 01491 827 950 Internet: www.fischer.co.uk

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regula- Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317

tion (EC) No. 1272/2008

2.2 Label elements

Hazard pictogram





Signal word Danger



Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020

Replaces version from: 21.04.2020 Print date: 31.07.2020 Version: 2/en

tetramethylendimethacrylat, portland cement, 2-hydroxypropyl Hazardous component(s) to be in-

dicated on label

methacrylate, dibenzoyl peroxide, 2-methylisothiazol-3(2H)-one

H315: Causes skin irritation. H-statement(s)

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

P101: If medical advice is needed, have product container or label at P-statement(s)

No information available.

hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face pro-

tection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Health hazard No information available.

Particular information pertaining

specific risk for human / environ-

ment

Indication of danger No information available.

Hazard precautions No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
tetramethylendimethacry- lat	CAS No.: 2082-81-7 EC-No.: 218-218-1 REACH No.: 01-2119967415-30	Skin Sens. 1B;H317	10.0 - 25.0 % by weight
portland cement	CAS No.: 65997-15-1 EC-No.: 266-043-4 REACH No.: The substance does not require registra- tion according to Regulation (EC) No 1907/2006 [REACH].	Skin Irrit. 2;H315 Eye Dam. 1; H318 STOT SE 3;H335	10.0 - 15.0 % by weight
2-hydroxypropyl methacrylate	CAS No.: 27813-02-1 EC-No.: 248-666-3 REACH No.: 01-2119490226-37	Skin Sens. 1; H317 Eye Irrit. 2; H319	2.5 - 10.0 % by weight
ethanediol	CAS No.: 107-21-1 EC-No.: 203-473-3 Index-No.: 603-027-00-1 REACH No.: 01-2119456816-28	Acute Tox. 4; H302 STOT RE 2; H373	< 2.5 % by weight
dibenzoyl peroxide	CAS No.: 94-36-0 EC-No.: 202-327-6 Index-No.: 617-008-00-0 REACH No.: 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.5 % by weight

Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020 Print date: 31.07.2020 Version: 2/en

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
2-methylisothia- zol-3(2H)-one	CAS No.: 2682-20-4 EC-No.: 220-239-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Corr. 1B; H314 Eye	< 0.01 % by weight
201-3(211)-011e	Index-No.: 613-326-00-9 REACH No.: 01-2120764690-50	Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Sens. 1A: H317	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Take off immediately all contaminated clothing.

In case of accident or unwellness, seek medical advice immediately (show

directions for use or safety data sheet if possible).

Wear personal protection equipment (refer to section 8).

If inhaled Provide fresh air.

In case of respiratory tract irritation, consult a physician.

In case of skin contact After contact with skin, wash immediately with plenty of water and soap.

Do NOT use solvents or thinners.

In case of eye contact Remove contact lenses.

> In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmol-

ogist.

If swallowed If accidentally swallowed rinse the mouth with plenty of water (only if the

person is conscious) and obtain immediate medical attention.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available. **Symptoms**

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention If unconscious place in recovery position and seek medical advice.

Special medical treatment Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media spray mist, (water), Water spray jet, alcohol resistant foam, carbon diox-

ide, Extinguishing powder

Extinguishing media which must

not be used for safety reasons

Full water jet

Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020



Print date: 31.07.2020

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising

from the substance or prepara-

tion itself, its combustion prod-

ucts, or released gases

Heating or fire can release toxic gas.

Fight fire with normal precautions from a reasonable distance.

5.3 Advice for firefighters

Special protective equipment for

firefighting

Version: 2/en

In case of fire: Wear self-contained breathing apparatus.

For the protection against direct skin contact, body protective clothing is

essential (in addition to the usual working clothes).

Additional information on fire-

fighting

Suppress (knock down) gases/vapours/mists with a water spray jet.

Do not allow water used to extinguish fire to enter drains, ground or wa-

terways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions For non-emergency personnel

Accidental release measures:

Wear personal protection equipment (refer to section 8).

Remove all sources of ignition.

Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or the

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Allow stiffening. Take up mechanically.

Treat the recovered material as prescribed in the section on waste dis-

posal.

6.4 Reference to other sections

Reference to other sections Reference to other sections: 7/8/13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Caution: During machining in cured state dust is formed.

Keep container tightly closed.

Hygiene measures: When using do not eat, drink or smoke. Wash hands

before breaks and after work.

Commercial Product Name: FIS P PLUS 300 T

Davida - Datas 24 07 2020

Revision Date: 31.07.2020 Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

Take off contaminated clothing and wash it before reuse.

Advice on protection against fire

and explosion

No special measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

quirements

Keep/Store only in original container. Keep container tightly closed and dry.

Store in accordance with local regulations.

Unsuitable materials for contain-

ers

Keep only in original container.

Hints on storage assembly Keep away from food, drink and animal feedingstuffs.

German storage class 10-13

Recommended storage tempera-

ture

+5 - 25 °C

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

portland cement

Great Britain				
Long-term exposure value/ mg/m3	Remarks	Source		
10	inhalable dust	Company data		
4	respirable dust	Company data		

ethanediol

Creat Britain Long-term exposure value/ ppm	Long-term ex- posure value/ mg/m3	Short-term ex- posure value / ppm	Short-term ex- posure value / mg/m3	Remarks	Note	Source
	10			particulates only	Sk	EH40/2005 Workplace exposure limits (2011)
20	52	40	104	vapour	Sk	EH40/2005 Workplace exposure limits (2011)

Europe						
	0			Note	Issuing date	Source
posure value/	posure value/	posure value /	posure value /			
mg/m3	ppm	mg/m3	ppm			
mg/m3 52	ppm 20	mg/m3 104	ppm 40	Skin	2000/39	DIRECTIVE

dibenzoyl peroxide

Great Britain	
Long-term exposure value/ mg/m3	Source

Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020 Version: 2/en



Print date: 31.07.2020

5 EH40/2005 Workplace exposure limits (2011)

8.2 Exposure controls

Respiratory protection Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

Hand protection Health injuries are not known or expected under normal use. For pro-

> longed or repeated contact use protective gloves. May cause sensitization of susceptible persons by skin contact. Avoid contact with eyes and skin.

Protective gloves complying with EN 374. Butyl caoutchouc (butyl rubber), Suitable material

CR (polychloroprene, chloroprene rubber), NBR (Nitrile rubber), Fluorinat-

ed rubber

Unsuitable material PVC or rubber gloves are not recommended.

Material thickness adjust to application and duration of use

Break through time > 120 min

Evaluation

Remarks Take note of the information given by the producer concerning perme-

ability and break through times, and of special workplace conditions (me-

chanical strain, duration of contact).

Note Replace when worn.

Eye protection Wear closely fitting protective glasses in case of splashes.

Safety glasses with side-shields conforming to EN166

Skin and body protection Long sleeved clothing

> Note Choose body protection according to the amount and concentration of

> > the dangerous substance at the work place.

General protective and hygiene

measures

Do not eat, drink or smoke when using this product.

Avoid contact with the skin and the eyes.

Wash hands and face before breaks and after work and take a shower if

necessary.

Keep away from food, drink and animal feedingstuffs. Use protective skin cream before handling the product.

Information on environmental

No special environmental measures are necessary.

protection regulations see section 6/7

Provide adequate ventilation. Engineering measures

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form **Paste** Colour grey

Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020 Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

Odour characteristic

Odour threshold not determined

Melting point [°C] / Freezing point

[°C]

No data available

Boiling point [°C] No data available

Flash point [°C] > 100

Evaporation rate [kg/(s*m²)] No data available

Flammability (solid, gas) No data available

Explosion limits [Vol-%]

Remarks No data available

Vapour pressure [kPa] No data available

Vapour density No data available

Density [g/cm³] 1,7-1,9

Temperature 23°C

Relative density No data available

Solubility No data available

Water solubility [g/l] No data available

Solubility [g/l] No data available

Partition coefficient n-octanol /wa-

ter (log P O/W)

No data available

Autoinflammability not auto-flammable

Decomposition temperature [°C] No data available

Viscosity, dynamic [kg/(m*s)] 90-150

Temperature 20°C

Explosive properties not explosive.

Oxidising properties No

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactivity No hazardous reaction when handled and stored according to provisions.

No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable when applying the recommended regulations for storage and han-

dling. Further information on correct storage: refer to section 7.

Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

10.3 Possibility of hazardous reactions

Hazardous reactions No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Conditions to avoid The mixture is chemically stable under recommended conditions of stor-

age, use and temperature.

10.5 Incompatible materials

Materials to avoid Strong acids and oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition prod- No known hazardous decomposition products.

ucts

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral toxicity [mg/kg]

tetramethylendimethacrylat			
Value	Test criterion	Test species	Source
>5000	LD50	Rat	Company data

portland cement			
Value	Test criterion	Remarks	Source
> 2000	LD50	literature value	Company data

2-hydroxypropyl methacrylate				
Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rat	OECD 401 Limit Test.	Company data

ethanediol				
Value	Test criterion	Test species	Remarks	Source
5840	LD50	Rat	*1)	Company data

^{*1):} Harmonised (legal) classification. Harmful if swallowed.

dibenzoyl peroxide			
Value	Test criterion	Test species	Source
> 5000	LD50	rat	Company data

2-methylisothiazol-3(2H)-one		
Value	Test criterion	Source
600	LC50	Company data

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

Dermal toxicity [mg/kg] Hazardous ingredients

tetramethylendimethacrylat				
Value	Test criterion	Test species	Source	
>3000	LD50	Rabbit	Company data	

portland cement				
Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rabbit	Limit test 2000 mg/kg	Company data

2-hydroxypropyl methacrylate				
Value	Test criterion	Test species	Source	
> 5000	LD50	rabbit	Company data	

ethanediol			
Value	Test criterion	Test species	Source
> 3500	LD50	rabbit	Company data

2-methylisothiazol-3(2H)-one		
Value	Test criterion	Source
> 5000	LD50	Company data

Inhalative toxicity [mg/l] Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

portland cement				
Value	Test criterion	Test species	Note	Source
> 5	LC50	rat	Limit Test 5 g/m ³	Company data

2-hydroxypropyl methacrylate	
Value	Source
No data available	Company data

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
> 5	LC50	rat	4 h	Company data

dibenzoyl peroxide			
Value	Test criterion	Test species	Source
> 24300	LC50	rat	Company data

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

LC50 Inhalation 1h for gases [ppmV] Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 4h for gases [ppmV]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 1h for vapours [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 4h for vapours [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 4h for dusts and sprays [mg/l]

Hazardous ingredients

nazar adas ingreateries	
tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 1h for dusts and sprays [mg/l]

Hazardous ingredients

110201 0000 1181 001011	
tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Irritant effect on skin

tetramethylendi	methacrylat			
Value	Measuring method	Test species	Exposure dura- tion	Source
Not an irritant.	FDA 1959	Rabbit	24 h	Company data

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

portland cement	
Value	Source
Irritant	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
No skin irritation	OECD Test Guideline 404	Company data

ethanediol	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Irritant effect on eyes Hazardous ingredients

tetramethylendimethacrylat			
Value Test species Exposure duration Source			
Not an irritant.	Rabbit	24 h	Company data

portland cement	
Value	Source
Causes serious eye damage.	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
irritating	OECD 405	Company data

ethanediol	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Irritant effect on the respiratory tract

Hazardous ingredients

tetramethylendimeth	acrylat		
Value	Test species	Exposure duration	Source
Not an irritant.	Mouse	24 h	Company data

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Sensitization

tetramethylendimeth	acrylat		
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

portland cement	
Value	Source
No sensitization responses were observed.	Company data

2-hydroxypropyl methacrylate	
Value	Source
Skin sensitizer	Company data

ethanediol	
Value	Source
not sensitising. Based on available data, the classifi-	Company data
cation criteria are not met.	

2-methylisothiazol-3(2	2H)-one		
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

Carcinogenic effects Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

ethanediol	
Value	Source
Contains no ingredient listed as a carcinogen	Company data

Mutagenicity

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

portland cement	
Value	Source

Revision Date: 31.07.2020 Version: 2/en



Print date: 31.07.2020

Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 471 (Ames Test) / OECD 476.	Company data

ethanediol	
Value	Source
Not applicable.	Company data

Reproduction toxicity

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 422	Company data

ethanediol	
Value	Source
Not applicable.	Company data

Caustic effect

tetramethylendimethacrylat				
Value	Measuring method	Test species	Exposure dura- tion	Source
Not an irritant.	FDA 1959	Rabbit	24 h	Company data

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

Revision Date: 31.07.2020 Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

ethanediol	
Value	Source
No data available	Company data

Specific target organ toxicity (single exposure) [mg/kg]

Hazardous ingredients

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

portland cement	
Specific effects	Source
Irritating to respiratory system. (dust)	Company data

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

ethanediol	
Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) [mg/kg]

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

portland cement	
Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

ethanediol					
Route of exposure	Organs affected	Specific effects	Source		
Ingestion	Causes damage to kid- neys if swallowed.	Causes damage to organs through pro- longed or repeated ex- posure.	Company data		
Skin contact	May cause damage to kidneys in contact with skin.	Causes damage to organs through prolonged or repeated exposure.	Company data		

Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish [mg/l]

Hazardous ingredients

tetrameth	tetramethylendimethacrylat					
Value	Test crite- rion	Test species	Mea- suring method	Exposure duration	Remarks	Source
32,5	LC50:	Leucis- cus idus (Golden orfe)	DIN 38412 / part 15	48 h	By analo- gy.	Company data

portland cement		
Value	Test criterion	Source
> 100	LC50	Company data

2-hydroxypropyl methacrylate					
Value	Test criteri- on	Test species	Measuring method	Exposure duration	Source
493	LC50	Leuciscus idus (Golden orfe)	DIN 38412	48 h	Company da- ta

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
72860	LC50	Pimephales promelas (fat- head minnow)	96 h	Company data

dibenzoyl peroxide			
Value	Test criterion	Exposure duration	Source
0,06	LC50	96 h	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criteri- on	Test species	Measuring method	Exposure duration	Source
30	LC50	On- corhynchus mykiss (Rain- bow trout)	OECD 203	96 h	Company da- ta

Toxicity to daphnia [mg/l] Hazardous ingredients

tetramethylendimethacrylat

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
7,51	EC10	Daphnia magna (Big water flea)	48 h	OECD 211	Company da- ta

portland cement			
Value	Test criterion	Test species	Source
> 100	LC50	Daphnia magna (Wa- ter flea)	Company data

2-hydroxypropyl methacrylate						
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source	
> 130	EC50	Daphnia magna (Wa- ter flea)	48 h	OECD Test Guideline 202	Company da- ta	

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
> 100	EC50	Daphnia magna (Water flea)	48 h	Company data

dibenzoyl peroxi	ide			
Value	Test criterion	Test species	Exposure dura- tion	Source
0,11	EC50	Daphnia magna (Big water flea)	48 h	Company data

2-methylisothiazol-3(2H)-one						
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source	
8,4	EC50	Daphnia magna (Big water flea)	48 h	OECD 202	Company da- ta	

Toxicity to algae [mg/l]

tetramethylendimethacrylat						
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source	
9,78	EC50	Desmod- esmus sub- spicatus	72 h	OECD 201	Company da- ta	

portland cement		
Value	Test criterion	Source
> 100	EC50	Company data

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020

Print date: 31.07.2020

2-hydroxypro	pyl methacrylate				
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
> 97,2	EC50	Selenastrum capricornu- tum	72 h	OECD Test Guideline 201	Company da- ta

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
> 6500	EC50	Selenastrum capricornutum	96 h	Company data

dibenzoyl peroxide			
Value	Test criterion	Exposure duration	Source
0,06	EC50	72 h	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criteri-	Test species	Exposure	Measuring	Source
	on		duration	method	
0,79	IC50:	Pseudokirch-	72 h	OECD 201	Company da-
		neriella sub-			ta
		capitata			

NOEC (fish) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
20	Company data

ethanediol			
Value	Test criterion	Test species	Source
15380	NOEC	Pimephales promelas (fathead minnow)	Company data

2-methylisothiazol-3(2H)-one				
Value	Test criterion	Test species	Measuring method	Source
11,9	NOEC	Pimephales promelas (fat- head minnow)	OECD 210	Company data

NOEC (daphnia) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
20	Company data

2-hydroxypropyl methacrylate

Revision Date: 31.07.2020 Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

Value	Test criteri- on	Test species	Measuring method	Exposure duration	Source
24,1	NOEC	Daphnia magna (Big water flea)	OECD 202	21 d	Company da- ta

ethanediol			
Value	Test criterion	Exposure duration	Source
8590	NOEC	7 d	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criteri- on	Test species	Measuring method	Exposure duration	Source
2,75	NOEC	Daphnia magna (Big water flea)	OECD 211	21 d	Company da- ta

NOEC (algae) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
20	Company data

2-methylisothiazol-3(2H)-one				
Value	Test criterion	Test species	Measuring method	Source
0,15	NOEC	Pseudokirchner- iella subcapitata	OECD 201	Company data

12.2 Persistence and degradability

Biodegradability

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

^{*1):} Readily biodegradable (according to OECD criteria).

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
Readily biodegradable.	Company data

ethanediol		
Remarks	Value	Source
Readily biodegradable.	90 - 100 %	Company data

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

2-methylisothiazol-3(2H)-one	
Value	Source
Readily biodegradable.	Company data

12.3 Bioaccumulative potential

Bioaccumulation

Hazardous ingredients

y data
)

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
no data available	Company data

ethanediol	
Value	Source
Bioaccumulation is unlikely.	Company data

12.4 Mobility in soil

Mobility

Hazardous ingredients

114241404511610165	
portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
No data available	Company data

ethanediol	
Value	Source
Not applicable.	Company data

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination

Hazardous ingredients

tetramethylendimethacrylat

Commercial Product Name: FIS P PLUS 300 T

commercial Froduct Name: Fish Floors

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

Value	Source
This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	Company data

portland cement	
Value	Source
Not applicable.	Company data

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

ethanediol	
Value	Source
Not applicable.	Company data

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations Do not allow to enter into surface water or drains.

Dispose of waste according to applicable legislation.

Empty remaining contents.

Empty packaging: Where possible recycling is preferred to disposal or in-

cineration.

Product: Can be disposed of as a solid waste or burned in a suitable in-

stallation subject to local regulations.

Waste Code According to the European Waste Catalogue, Waste Codes are not prod-

uct specific, but application specific.

The following Waste Codes are only suggestions:

Product (Mortar and Curing agent)

200127 - paint, inks, adhesives and resins containing dangerous sub-

stances

080409 - waste adhesives and sealants containing organic solvents or

other dangerous substances

cured material and completely squeezed cartridges

200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING

SEPARATELY COLLECTED FRACTIONS

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the	No dangerous good accord-	No dangerous good accord-	No dangerous good accord-
goods	ing to ADR	ing to IMDG	ing to IATA
14.3 Transport hazard	Not applicable.	Not applicable.	Not applicable.
class(es)			

Commercial Product Name: FIS P PLUS 300 T

e: FIS P PLUS 300 T

Replaces version from: 21.04.2020 Print date: 31.07.2020

Revision Date: 31.07.2020

Version: 2/en

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			
		·	

14.6 Special precautions for user

Precautions No special measures are necessary.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

not applicable

Annex II of MARPOL and the IBC

Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC < 1 g/l / < 0,1 %

Decopaint regulation not relevant

Carcinogenic hazardous sub-

stance as per Annex II GefStoffV

No

Restriction of occupation. no restriction

15.2 Chemical safety assessment

Safety assessment For this preparation a chemical safety assessment has been carried out.

This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2,

8, 9, 12, 15 and 16 of this safety data sheet.

Additional regulations This Safety Data Sheet is prepared according to Commission Regulation

(EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evalua-

tion, Authorisation and Restriction of Chemicals (REACH)

SECTION 16: Other information

Relevant H-phrases H241: Heating may cause a fire or explosion.

H301: Toxic if swallowed. H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

Commercial Product Name: FIS P PLUS 300 T

Revision Date: 31.07.2020

Version: 2/en



Replaces version from: 21.04.2020 Print date: 31.07.2020

H330: Fatal if inhaled.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

Wording of the hazard classes Skin Irrit.: Skin irritation

Eye Dam.: Serious eye damage

STOT SE: Specific target organ toxicity - single exposure

Skin Sens.: Skin sensitization Eye Irrit.: Serious eye irritation Acute Tox.: Acute toxicity

STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Hazardous to the aquatic environment Aquatic Chronic: Hazardous to the aquatic environment

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

	Classification	Evaluation
	Skin Irrit. 2; H315	Calculated
	Eye Dam. 1; H318	Calculated
	Skin Sens. 1; H317	Calculated

Recommended restrictions

Observe technical data sheet.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.