

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis Issue date: 04/08/2022 Revision date: 04/08/2022 Supersedes: 12/08/2021 Version: 7.20

SECTION 1: Identification

1.1. Identification

Product form Article

Product name Li-Ion Batteries <100 Wh

Product code BU ET&A

Other means of identification Hilti B 7/1.5 Li-lon (01), Hilti B 7/2.0 Li-lon (01), Hilti B 7/2.5 Li-lon (01), Hilti B 1/2.6 Li-lon

(01), Hilti B 12/4.0 Li-lon (01), Hilti B 12-30 Li-lon (01), Hilti B 12-55 Li-lon (01), Hilti B 14/1.6 Li-lon (01), Hilti B 14/2.6 Li-lon (01), Hilti B 14/3.3 Li-lon (01), Hilti B 14/5.2 Li-lon (01), Hilti B 18/1.6 Li-lon (01), Hilti B 18/2.6 Li-lon (01), Hilti B 18/2.6 Li-lon (02), Hilti B 18/3.3 Li-lon (01), Hilti B 22/1.6 Li-lon (01), Hilti B 22/2.6 Li-lon (01), Hilti B 22/3.0 Li-lon (01), Hilti B 22/3.3 Li-lon (01), Hilti B 22/4.0 Li-lon (01), Hilti B 36/2.4 Li-lon (01), Hilti B 36/2.6 Li-lon (02), Hilti B 144/2.6 Li-lon (01), Hilti B 22-55 Li-lon (01), Hilti B 22-85 Li-lon (01)

1.2. Recommended use and restrictions on use

Use of the substance/mixture Rechargeable Lithium Ion battery for power tools

Recommended use For professional use only, Rechargeable Lithium Ion battery for power tools

1.3. Supplier

Supplier Department issuing data specification sheet

Hilti, Inc.

Hilti Entwicklungsgesellschaft mbH

Legacy Tower, Suite 1000 Hiltistraße 6

7250 Dallas Parkway Kaufering, 86916 - Deutschland

1-800-879-8000 toll free - F +1 918 254 0522

1.4. Emergency telephone number

Emergency number Chem-Trec

Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada)

Tel.: 703 527 3887 (Other countries)

+1 918 8723000 1-800-879-8000 toll free

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labelling

No labelling applicable

04/08/2022 US-OSHA - en Page 1

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

: For the battery chemical materials are stored in a hermetically sealed metal case, designed to withstand Temperatures and pressures encountered during normal use. As a result, during normal use there is no physical danger of ignition or explosion and chemical danger of hazardous materials leakage.

It may cause heat generation or electrolyte leakage if battery terminals contact with other metals. Electrolyte is flammable. In case of electrolyte leakage move the battery from fire immediately. However if exposed to a fire, added mechanical shocks, decomposed, added electric stress by miss-use, the gas release vent will be operated. The battery case will be breaked at the extreme, hazardous materials may be released.

Moreover, if heated strongly by a surrounding fire, acrid gas may be emitted.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

Lithium Ion recherche	
Name/Type	Energy content (Wh)
B 7 / 1.5 Li-lon (01)	10,8
B 7 / 2.0 Li-lon (01)	14,4
B 7 / 2.5 Li-lon (01)	18
B 12 / 2.6 Li-lon (01)	28,1
B 12 / 4.0 Li-lon (01)	42,66
B 12-30 Li-lon (01)	28,1
B 12-55 Li-lon (01)	42,66
B 14 / 1.6 Li-lon (01)	23
B 14 / 2.6 Li-lon (01)	36
B 14 / 3.3 Li-lon (01)	48
B 14 / 5.2 Li-lon (01)	73,4
B 18 / 1.6 Li-lon (01)	34,6
B 18 / 2.6 Li-lon (01)	56,2
B 18 / 2.6 Li-lon (02)	56,2
B 18 / 3.3 Li-lon (01)	71,3
B 22 / 1.6 Li-lon (01)	34,6
B 22 / 2.6 Li-lon (01)	56,2
B 22 / 2.6 Li-lon (02)	56,2
B 22 / 3.0 Li-lon (01)	64,8
B 22 / 3.3 Li-lon (01)	71,3
B 22 / 4.0 Li-lon (01)	86,4
B 36 / 2.6 Li-lon (02)	93,6
B 36 / 2.4 Li-lon (01)	86,4
B 144 / 2.6 Li-lon (01)	
B 22-55 Li-lon (01)	54,00 95,33
B 22-85 Li-lon (01)	85,32

This product contains a positive electrode (Lithium cobalt oxide (CAS-No. 12190-79-3)), a negative electrode (graphite (CAS-No. 7782-42-5)) and electrolyte (ethylene carbonate(CAS-No. 96-49-1), diethyl carbonate (CAS-No. 105-58-8) and lithium hexafluorophosphate (CAS-No. 21324-40-3)).

The physical form of the product, however, precludes exposure to workers under normal conditions of use.

04/08/2022 US-OSHA - en 2/9

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general If the electrolyte is leaking out of the battery pack, the following measures have to be taken.

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

symptoms

This product contains an organic electrolyte. If the electrolyte is leaking out of the battery pack, the following effects are known when getting into contact: Irritation: severely irritant to eyes. Irritation: may cause irritation to the respiratory system.

Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Symptoms/effects

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Cool batteries and accumulators with water jet. In case of fire in the surroundings: Use

extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media No additional information available.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of

Formation of toxic gases is possible during heating or in case of fire.

fire

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures No flames, no sparks. Eliminate all sources of ignition. Isolate from fire, if possible, without

unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment Wear protective gloves, protective clothing. Safety goggles. Gas mask.

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

04/08/2022 US-OSHA - en 3/9

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take up liquid spill into absorbent material.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Normal use of this product shall imply use in accordance with the instructions on the

packaging and in line with the expectations of a professional user.

Precautions for safe handling Do not soak in water or seawater.

Do not expose to strong oxidizers.

Do not give a strong mechanical shock or fling.

Never disassemble, modify or deform.

Do not connect the positive terminal to the negative terminal with electrically conductive

material.

Use only the chargers / electric tools specified by Hilti to charge or discharge the battery.

Do not throw into fire or expose to high temperatures (>85 °C).

Do not connect the positive terminal to the negative terminal with electrically conductive

material.

Hygiene measures Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Avoid direct sunlight, high temperature, high humidity.

Store in a cool place (temperature: -20 °C ~ 40 °C, humidity: 45 - 85%).

Incompatible products Strong bases. Strong acids.
Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature -20 – 40 °C

Information on mixed storage Store away from water.

Do not store together with electrically conductive materials.

The accu-pack should be stored at 30 to 50% of the charging capacity.

Avoid storing in places where it is exposed to static electricity.

Storage area Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Li-Ion Batteries <100 Wh

No additional information available

Additional information No technical measures are necessary during normal use. In case of leakage of substances

contained within the cell, the information below may be useful.

8.2. Appropriate engineering controls

Appropriate engineering controls If the electrolyte is leaking out of the battery pack, the following measures have to be taken.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

04/08/2022 US-OSHA - en 4/9

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12	

Eye protection:

Chemical goggles or safety glasses

Personal protective equipment symbol(s):





Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance plastic case. Colour red Black Odour Odourless Odour threshold No data available рΗ No data available Melting point No data available Freezing point No data available No data available Boiling point Flash point No data available Relative evaporation rate (butylacetate=1) No data available Non flammable. Flammability (solid, gas) No data available Vapour pressure Relative vapour density at 20 °C No data available Relative density No data available No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature Decomposition temperature No data available Viscosity, kinematic No data available Viscosity, dynamic No data available

No data available Risk of explosion by shock, friction, fire or other sources of ignition. Explosive properties

No data available Oxidising properties

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

Explosive limits

No additional information available

Chemical stability

Stable under normal conditions.

04/08/2022 US-OSHA - en 5/9

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Water, humidity.

10.5. Incompatible materials

Conductive materials, water, seawater, strong oxidizers and strong acids.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Not classified Acute toxicity (inhalation) Not classified Skin corrosion/irritation Serious eye damage/irritation Not classified Respiratory or skin sensitisation Not classified Not classified Germ cell mutagenicity Not classified Carcinogenicity Reproductive toxicity Not classified STOT-single exposure Not classified Not classified STOT-repeated exposure

Aspiration hazard Viscosity, kinematic

Potential adverse human health effects and

symptoms

This product contains an organic electrolyte. If the electrolyte is leaking out of the battery pack, the following effects are known when getting into contact: Irritation: severely irritant to

eyes. Irritation: may cause irritation to the respiratory system.

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

Other information When used and handled according to specifications, the product does not have any harmful

Not classified

when used and handled according to specifications, the product does not have any harmly

effects according to our experience and the information provided to us.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Li-lon Batteries <100 Wh	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Li-lon Batteries <100 Wh	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

04/08/2022 US-OSHA - en 6/9

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

12.5. Other adverse effects

Other information Do not allow battery packs to penetrate the soil.

The battery cell may corrode and electrolyte may leak.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Refer to

manufacturer/supplier for information on recovery/recycling.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number	er		
UN 3480	UN 3480	UN 3480	UN 3480
14.2. UN proper shipping nam	10		
LITHIUM ION BATTERIES	LITHIUM ION BATTERIES	Lithium ion batteries	LITHIUM ION BATTERIES
Transport document description			
UN 3480 LITHIUM ION	UN 3480 LITHIUM ION	UN 3480 Lithium ion batteries, 9	UN 3480 LITHIUM ION
BATTERIES, 9, (E)	BATTERIES, 9 BATTERI		BATTERIES, 9
14.3. Transport hazard class(es)			
9	9	9	9
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment:	Dangerous for the environment:	Dangerous for the environment:	Dangerous for the environment:
No	No	No	No
	Marine pollutant: No		
No supplementary information avail	able	•	•

14.6. Special precautions for user

Overland transport

Classification code (ADR) M4

Special provisions (ADR) 188, 230, 310, 348, 376, 377, 387, 636

Limited quantities (ADR)

Packing instructions (ADR) P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906

Transport category (ADR) 2
Tunnel restriction code (ADR) E

04/08/2022 US-OSHA - en 7/9

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

Transport by sea

Special provisions (IMDG) 188, 230, 310, 348, 376, 377, 384, 387

Limited quantities (IMDG)

Packing instructions (IMDG) P903, P908, P909 , P910, P911, LP903, LP904, LP905, LP906

EmS-No. (Fire) F-A
EmS-No. (Spillage) S-I
Stowage category (IMDG) A
Stowage and handling (IMDG) SW19
MFAG-No 147

Air transport

PCA packing instructions (IATA) Forbidden
PCA max net quantity (IATA) Forbidden
CAO packing instructions (IATA) See 965

Special provisions (IATA) A88, A99, A154, A164, A183, A201, A206, A213, A331, A334, A802

Rail transport

Special provisions (RID) 188, 230, 310, 348, _376, 377, 387, 636

Limited quantities (RID) 0

Packing instructions (RID) P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Li-Ion Batteries <100 Wh	CAS-No.	100%
--------------------------	---------	------

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Li-Ion Batteries <100 Wh

U.S. - California - Proposition 65 - Other information

WARNING: Lithium-ion batteries and products that contain lithium-ion batteries can expose you to chemicals including cobalt lithium nickel oxide, and nickel, which are known to the State of California to cause cancer and birth defects or reproductive harm. For more information do to www.P65Warnings.ca.gov.

SECTION 16: Other information

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

04/08/2022 US-OSHA - en 8/9

Product Safety Information Sheet

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

Revision date 04/08/2022

All components of this product are present and listed as Active on the United States Other information Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. All

components of this product are listed, or excluded from listing, on the Canadian Domestic

Substances List (DSL) / Non-Domestic Substances List (NDSL).

0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible NFPA health hazard

materials.


NFPA fire hazard 1 - Materials that must be preheated before ignition can

occur.

1 - Materials that in themselves are normally stable but NFPA reactivity

can become unstable at elevated temperatures and

pressures.



Indication of changes:

Section	Changed item	Change	Comments
15	State or local regulations	Modified	

SDS_US_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

04/08/2022 US-OSHA - en 9/9